

AMERICAN RANGE

QUALITY COMMERCIAL COOKING EQUIPMENT

INFRARED OVERFIRED BROILERS WITH LOWER OVEN

STANDARD FEATURES

- Stainless Steel rugged body.
- 6" deep front Stainless Steel bullnose landing ledge/work space.
- 6" High Polished chrome adjustable steel legs.
- Heavy gauge welded frame construction.
- 6" High Stainless Steel stub back in lieu of high riser.
- 32,000 BTU/hr. infrared burners.
- Polished glossy black knobs.
- One year limited warranty, parts and labor.

OPTIONAL FEATURES

- Stainless Steel skewer holder guides per deck.
- Storage base.
- Swivel casters in lieu of 6" legs.
- 3/4" X 36" Quick disconnect with restraining device.
- 3/4" X 48" Quick disconnect with restraining device.
- 3/4" X 60" Quick disconnect with restraining device.



AGBU-3
Shown with optional casters




The American Range Double Deck Infrared Overfired Broiler has a reputation that lives up to its name. The AGBU-3 gas-fired powerhouse has four infrared burners that direct nearly 131,000 BTU/hr. of 1850°F infrared heat downward to penetrate and sear the exposed surface of the meat, fish, vegetable or casserole products. Since the cooking is accomplished using only infrared heat, the food experiences minimal shrinkage and retains juices, tenderness and flavor.

To help tailor cooking power to the menu, the individual burner gas valves can be used to change the output power of the broiler; and the broiler grid is spring-balanced and adjustable – so raising and lowering the four position deck is easy. Extending the full width of the broiler; the removable grease tray makes clean-up a snap.

Look to American Range to provide commercial cooking performance, quality and durability - today and whenever you need to upgrade your equipment.

AGBU-3 INFRARED OVERFIRED BROILERS WITH LOWER OVEN



| Model | Width | Depth | Height | Burners | Total BTU | KW | Shipping Weight | Lbs. | Kg. |
|--------|-------|---------|--------|---------|-----------|----|-----------------|------|-----|
| AGBU-3 | 36" | 33-3/4" | 61" | 4 | 131,000 | 34 | | 700 | 317 |

STANDARD FEATURES

- Stainless Steel rugged body.
- 6" deep front Stainless Steel bullnose landing ledge/work space.
- 6" High Polished chrome adjustable steel legs.
- Heavy gauge welded frame construction.
- 6" High Stainless Steel stub back in lieu of high riser.
- 32,000 BTU/hr. infrared burners, industry's highest.
- Polished glossy black knobs.
- One year limited warranty, parts and labor.

OPTIONAL FEATURES

- Stainless Steel skewer holder guides per deck.
- Storage base.
- Swivel casters in lieu of 6" legs.
- 3/4" X 36" Quick disconnect with restraining device.
- 3/4" X 48" Quick disconnect with restraining device.
- 3/4" X 60" Quick disconnect with restraining device.

GAS SUPPLY: 3/4" NPT Gas inlet. Manifold pressure is 5.0" W.C. for natural gas or 10.0" W.C. for propane gas. Specify type of gas and altitude if over 2000 feet.

CLEARANCES: For use only on non-combustible floors. Legs or casters are required, or 2" (51mm) overhang is required when curb mounted. Clearance from non-combustible walls is 0". When unit is placed next to combustible walls, clearances must exceed 12" (305mm) on sides, and 4" (102mm) from rear. Radiant broilers for non-combustible locations only.

American Range is a quality manufacturer of commercial cooking equipment. Due to continuing product improvements, these specifications are subject to change without prior notice.



A70285 12062013



13592 Desmond St. Pacoima CA 91331
 T. 818.897.0808 F. 818.897.1670
 Toll Free: 888.753.9898
www.americanrange.com